



LAPI LABORATORIO PREVENZIONE INCENDI S.p.A.
Sede Primaria: I-59100 PRATO - Via della Quercia, 11
Telefono +39 0574.575.320 - Telefax +39 0574.575.323
Sede Secondaria: I-50041 CALENZANO (FI) - Via Petrarca, 48
e-mail: lapi@laboratoriolapi.it
web site: www.laboratoriolapi.it



**Airborne Toxic Control Measure to Reduce Formaldehyde Emissions
From Composite Wood Products**

CARB Certification

N° 024/CARB/01

Application of:

**order of the state of California Air Resources Board, according to the executive order W-21-024,
relating to ARB approval of third party certifiers under section 93120.4, Title 17, California Code of Regulations**

Mill:

INVERNIZZI S.p.A.

STRADA P.LE PER GUSSOLA - 26030 SOLAROLO RAINERIO (CR) - ITALY

Product type: **HWPW-VC**

Product name: **POPLAR PLYWOOD (Thickness range: 3 mm to 50 mm)**

**This Certification states that the product complies with the emission requirement according
table 1 of § 93120.2 of Phase 2**

This Certification is based on initial type-testing, factory production control and further testing of samples taken at the factory in accordance to prescribed plan. The Third Party Certifier LAPI SPA - TPC 024 has performed the initial inspection of the factory and the factory production control and performs the continuous surveillance, assessment and approval of the factory production control. This certificate, first issued on 18/10/2018, has been released on 18/10/2021 and it is valid for 3 years, unless the requirements and conditions under which this Certificate has been issued have changed considerably.

Prato, 18 October 2021

Valid Until: 17 October 2024

The Certification Manager

Dr. Massimo Borsini

The Technical Director

Dr. Luca Ermini

TESTS HAVE BEEN CARRIED OUT IN ACCORDANCE TO ACCREDITATION NORM EN 17025

LAPI ACCREDITED LABORATORY N°0086



LAPI LABORATORIO PREVENZIONE INCENDI S.p.A.
Sede Primaria: I-59100 PRATO - Via della Quercia, 11
Telefono +39 0574.575.320 - Telefax +39 0574.575.323
Sede Secondaria: I-50041 CALENZANO (FI) - Via Petrarca, 48
e-mail: lapi@laboratoriolapi.it
web site: www.laboratoriolapi.it



**Airborne Toxic Control Measure to Reduce Formaldehyde Emissions
From Composite Wood Products**

CARB Certification

N° 024/CARB/02

Application of:

**order of the state of California Air Resources Board, according to the executive order W-21-024,
relating to ARB approval of third party certifiers under section 93120.4, Title 17, California Code of Regulations**

Mill:

INVERNIZZI S.p.A.

STRADA P.LE PER GUSSOLA - 26030 SOLAROLO RAINERIO (CR) - ITALY

Product type: PB

Product name: POPLAR PARTICLE BOARD (Thickness range: 5 mm to 60 mm)

**This Certification states that the product complies with the emission requirement according
table 1 of § 93120.2 of Phase 2**

This Certification is based on initial type-testing, factory production control and further testing of samples taken at the factory in accordance to prescribed plan. The Third Party Certifier LAPI SPA - TPC 024 has performed the initial inspection of the factory and the factory production control and performs the continuous surveillance, assessment and approval of the factory production control. This certificate, first issued on 18/10/2018, has been released on 18/10/2021 and it is valid for 3 years, unless the requirements and conditions under which this Certificate has been issued have changed considerably.

Prato, 18 October 2021

Valid Until: 17 October 2024

The Certification Manager

Dr. Massimo Borsini

The Technical Director

Dr. Luca Ermirli

TESTS HAVE BEEN CARRIED OUT IN ACCORDANCE TO ACCREDITATION NORM EN 17025

LAPI ACCREDITED LABORATORY N°0086